

SCX-8123NA / SCX-8128NA A3 MultiXpress Monochrome Laser Multifunction Printers

Office efficiency. Now in a more efficient package.



Samsung SCX-8123NA / SCX-8128NA A3 Mono Laser MFPs



Getting even more productivity in a workday is the new status quo and Samsung offers more than one way to keep up. Introducing the Samsung SCX-8123NA and 8128NA A3 mono laser MFPs. Compact, powerful and simple to use, they provide the performance today's businesses need to realize an efficient output of documents and a more streamlined workflow.


Powerful, Professional Performance

Samsung SCX-8123NA/8128NA MFPs deliver advanced powerful features to get more results out of your workday with a level of quality that will always represent your company with the highest degree of professionalism.



Exclusive Samsung Technology Delivers Sharp, Colorful Prints

Samsung's exclusive ReCP (Rendering Engine for Clean Page) technology automatically sharpens the focus of both graphics and text. Edges and negative type are enhanced and sharpened for professional results, and images are de-screened to look more natural and cleaner.



Superior, Polymerized Toner

Samsung's polymerized toner improves your output several ways. It features smaller and more uniform particles than conventional toner, for crisper lines and more vivid detail. It eliminates paper curling. Its higher wax content adds a rich glossiness to images, while preventing fading. Lower fusing temperature saves energy and wear.



High File Compression

Samsung's MRC (Mixed Raster Content) technology compresses scanned file sizes significantly with no reduction in quality. You can save storage space and working time, and more easily send scanned files.



Powerful Processing

Office productivity increases dramatically with fast printing and scanning capabilities. A fully integrated 1GHz Dual Core processor handles large print and copy jobs faster, as well as scan throughput. In fact, every task is completed up to 1.5 times quicker, so you can spend more time producing and less time waiting.

Versatile, Flexible, Easy to Use

The more your MFP allows you to do, the more valuable it is. Samsung SCX-8123NA/8128NA MFPs are simple and versatile, for efficient and flexible workflow.



Quick and Easy Setup

Samsung SCX-8123NA/8128NA MFPs install easily and get to work guickly. Setup is simple and fast with everything you need, including a pre-installed DADF (Duplex Automatic Document Feeder).



Make the Most of your Floor Space

The compact, streamlined designs of the MFPs mean they'll occupy very little floor space. The space-saving 350-sheet inner finisher and internal card reader add utility without adding size.

Easy Mobile Print App



Print from your mobile devices directly to the MFPs with the free Samsung Mobile Print App. Just connect wirelessly and print, without the need to install any print drivers.



Samsung Easy Mobile Print App earned the 2012 Outstanding Achievement Award from Buyers Lab, Inc.

Cost Saving, Hassle-Free Ownership

Control costs with separate toners and OPC drums. You don't have to change both when only one part wears out. The Developer unit provides a yield of 300,000 pages*, for even further reduced maintenance.

*Declared cartridge yield value in accordance with ISO/IEC targets.

Intuitive 7" Color Touch Screen

Get started quickly with an intuitive user interface. The large, easyto-read color touch screen guides users with smooth scrolling. Even first-time users can manage complex jobs quickly and easily.

- User Menu Customization (Up to 40 Shortcut Icons) Save time with jobs you do regularly.
- Smart Search Find specific functions quickly by typing in the keyword.
- Quick Copy Access all copy functions at a glance.





XOA Open Architecture (SCX-8128NX Only)

The Samsung SCX-8128NA is also available as the SCX-8128NX, which features a built-in platform that allows developers to create customized embedded applications. Based on open standards, Samsung XOA open architecture enables the SCX-8128NX to meet the specific needs of every customer's business.

Samsung MPS, Mobile, Security and Productivity Solutions

Samsung offers intelligent in-house and partner solutions that increase office productivity.

Document Management/Workflow Managed Print Services Job Accounting/Pull Printing Device Management Drivve[△] PrintFleet GreatAmerica Pharos[∆] PaperCut[△] SyncThru 6* SvncThru* SmarThru MWAi[∆] OCM[△] (Web Services) (Web Admin) (Workflow)* Prism[△] Leasing Equitrac[△] Perceptive^{∆***} Intellinetics[△] • I MI Jetmobile Bits[△] Compass MaxxVault^{∆***} • DPD - GoldFax[△] Genius Bytes[△] Vendapin SafeCom[△] • EFI MSUNG

Controlling Costs, Controlling Security

The success of your business is an all-encompassing priority for Samsung. We create ways for you to work more efficiently, to save resources and money. And we create ways for you to work securely to protect your information and your ideas.



Efficiency that Saves Money and Resources

Save paper and energy with the Samsung SCX-8123NA/8128NA MFP's ECO button. With a single touch, you can print more images on every page, including 2-up, 4-up and duplex printing, to save paper. You can save paper with automatic blank pages skipping. And the Easy Eco Driver allows you to preview your document before printing, reducing wasted printouts and saving you even more paper and toner.

Monitor your Usage

With Single Sign On, a user logs in once to access all Samsung solutions. With Samsung SyncThru $^{\text{TM}}$ Admin, IT can easily monitor and manage usage.



A Secure Office

To ensure data security, the Samsung Security Framework is standard. It provides a secure network that helps prevent unauthorized access to confidential information.

- Common Access Card (CAC)*
- SecurThru*
- Common Criteria*
- RF IDeas



Samsung Eco-Driver earned the 2012 Outstanding Achievement Award from Buyers Lab, Inc.

Configurations & Options



Specifications		SCX-8123NA	SCX-8128NA
Print		He to 92 ppm in Letter He to 10 ppm in 11" v 17"	Up to 90 ppm in Letter Up to 14 ppm in 11" v 17"
Engine Speed First Page Out Time	Simplex From Ready	Up to 23 ppm in Letter, Up to 12 ppm in 11" x 17" 9 sec.	Up to 28 ppm in Letter, Up to 14 ppm in 11" x 17" 8 sec.
Resolution	Optical		600 dpi
Resolution	Enhanced	Draft: 600 x 600 dpi (600 x 600 x 1 bit), Normal: 2400 x 600 dpi Effective Output (600 x 600 x 2 bit), Best: 9600 x 600 dpi Effective Output (600 x 600 x 4 bit)	
Printer Languages		PCL5C, PCL6 (XL), PostScript Level3, PDF 1.7+, XPS	
Fonts/Downloadable Fonts Controller and Software		PCL: 93 scalable, 1 bitmap, OCR-A,OCR-B, PS:136 / Yes (PCL & PS3 S/W Font)	
XOA (Extensible Open Architecture)		N/A SCX-8128NX	
Processor (CPU)	,	Chorus4N Du	ial Core 1GHz
DRAM	Standard/Max	768MB DDR3 SDRAM (512MB for System + 256MB for GUI)	
Storage Printer Driver	(Supporting OS)	Optional 320GB HDD (Usable Space [Document Box Space]: 88GB)	
Filliter Driver	Univer (Supporting US) Windows®: 2000/XP (32/64bit)/2003 (32/64bit)/Aista (32/64bit)/2008/Win7/2008 R2 (64 only), Linux RedHat Enterprise Linux WS 4, 5 (32/64bit)/Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 (32/64bit)/SuSE Linux 10.1 (10.2, 10.3, 11.0, 11.1, 1.1, (23/64bit)/Mandriva 2007, 2008, 2009, 2009, 2009, 2009, 2010, 2010 (32/64bit)/Ubuntu 6,06, 6.10, 7.04, 7.10, 8.04 8.10, 9.04, 9.10, 10.04 (32/64bit)/SuSE Linux Enterprise Desktop 10, 11 (32/64bit), Macri OS X 10.5 – 10.7		.04, 7.10, 8.04 8.10, 9.04, 9.10, 10.04 (32/64bit)/SuSE Linux Enterprise Desktop 10, 11 (32/64bit)/Debian 4.0, 5.0
Interface		(delivering male: 60 A 10.6 Text	
USB	Host	High-Speed USB	2.0 Host (2-port)
USB	Device	High-Speed USB 2.0 Peripheral (1-port)	
Wired LAN			0/1000 Base TX
Foreign Device Interface Network Interface		Optional (CLX-KIT10F)	
Windows / Mac / Lir	nux / Novell / Others	Microsoft® Windows® 2000, XP (32/64bit), 2003 (32/64bit), Vista (32/64bit), Win7 / OS 10.5 – 10.6 / RedHat 8 – 9, Fed	dora Core 1–4, Mandrake 9.2 – 10.1, SuSE 8.2 – 9.2, Netware 5.x, 6.x (TCP/IP Only), Unix (HP-UX, Solaris, SunOS, SCO)
NW Protocols	TCP/IP	TCP/IPv4, HTTP, SNMPv1/v2c/v3, LDAP, SMTP, SSL/TLS, IPS	
	NetBIOS over TCP/IP		es
ID Addressing	Others		APS, IPSec
IP Addressing User Interface		Static IP, Auto II	י, איינוי, איי
Display LCD 7" 800 x 480 WVGA TFT Color Graphic LCD with Touch-Screen, 24-bit color			
Key/Button		Power, Start, Stop, Interrupt, Numeric Keypad, Reset, Counter, Job Status, ECO, Logout, Clear, On Hook Dial, Redial/Pause	
Scan	Scan Method	Color CCDM-MMT	
	Compatibility	TWAIN	
	Resolution Halftone	Optical: 600 x 600 ppi, En	hanced: 4,800 x 4,800 ppi levels
	Zoom Range		reveis crements (Platen/DADF)
	Multi Copy		999
Scan-to HDD		Yes (Shar	ed Folder)
	USB	Yes	
	Email		9S
	Client (NetScan) SMB	Yes (N/M) Yes	
	FTP	Yes	
Fax	Compatibility	ITU-T G3, Super G3	
	Modem Speed		Kbps
	Compression	MH/MR/N	MMR/JBIG 300 dpi
	S. Fine (Super Fine) Speed Dial	200 locations (HDD (
	Group Dial	Max. 100 Groups (Max. location	
	Multi-Send	Up to 505	olocations
Paper Handling	Standard Capacity		ette Tray x 2,100-sheet MP tray
Max. Input Capacity Multi-Purpose Tray		MP + 4 Tray: 2,180 sheets	
Capacity		Plain Paper: 100 sheets @ 80 gsm, Envelopes: 10 sheets @ 75 gsm, Labels: 20 sheets @ 120 - 159 gsm, Thick Paper: 10 sheets @ 176 gsm	
Media Sizes		98 x 148 mm ~297 x 432 mm (3.87 x 5.8" – 11.7 x 17")	
Media Type		Printer Default, Plain, Thick, Thin, Bond, Color, Cardstock, Labels, Envelope, Preprinted, Letterhead, Recycled, Cotton, Archive, Glossy	
Media Weight Sensing		16 – 46 lb. (60 to 175): Simplex, Duplex H/W Install Detect, Paper Empty and Low Level Detect, Paper Size Detect	
Standard Cassette Tray		TVW mistall detect, naper Lingry and Low Level detect, naper Size detect	
Capacity		520 sheets @ 21 lb. (80 g/m²) x 2	
Media Sizes		Ledger, A3, Letter, Legal, Oficio, Folio, A3, A4, JIS B5, ISO B5, Executive, A5, Statement, Custom	
Media Types Dual Cassette Feeder		Plain, Thin, Bond, Punched, Pre-Printed, Recycled, Label, Cardstock, Letterhead, Thick, Cotton, Colored, Archive, Glossy	
Capacity		520 sheets @ 21lb. (80 g/m²) x 2	
Media Sizes		Ledger, A3, Letter, Legal, Officio, Folio, A4, JIS B5, ISO B5, Executive, A5, Statement, Custom	
Media Types Automatic Duplex		Plain, Thin, Bond, Punched, Pre-Printed, Recycled, Label, Cardstock, Letterhead, Thick, Cotton, Colored, Archive, Glossy	
Supporting		Yes	
DADF			
Capacity		100 sheets (21 lb., 80 g/m²)	
Document Size		Width: 140 – 297mm, Length: 140 – 432mm	
Consumables			
CRU		Toner: MLT-D709S, Imaging Unit: MLT-R709, Waste Toner Box: MLT-W709	
Toner (Polymerized)		25,000 impressions @ 6% Mono Chart	
Environment		ΔC 110 = 127V /-1004 . 69Δ)	
Dimensions		AC 110 – 127V (-10%~6%) 22.05" (W) x 24" (D) x 31.27" (H) (Includes Standard Document Feeder)	
Weight		118.14 lbs. (With Standard Document Feeder)	
Options			
Dual Cassette Feeder / Inner Finisher		CLX-PFP100 / CLX-FIN50S (50-Sheet Inner Finisher)	
Hard Disk Drive (HDD) Job Separator Tray / Fax Kit / Cabinet		SCX-HDK470	
Stand / FDI Kit / Working Table / Staples		SCX-CLX-JST100 (Job Separator) / SCX-CLX-FAX160 / CLX-DSK20T / CLX-WKT002 / SCX-STP000	

samsung.com/printer



Product Support: 1-866-SAM-4BIZ | 1-800-SAMSUNG



Paper from responsible sources FSC* C019076



©2012 Sansung Electronics America, Inc. Samsung is a registered mark of Samsung Electronics Corp., Ltd. Specifications and designs are subject to change without notice. Print speed will be affected by operating system used, computing performance, application software, connection method, media type, media size and job complexity. Copy speed is based on Single Document Multiple Copy. Non-metric weights and measurements are approximate. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies. Simulated screen images. See samsung.com for detailed information. Printed in USA on 50% recycled (30% post-consumer waste) paper using soy inks. PNT-SCX8123NASCX8128NA-AUG12T

